

Product certificate
K20812/08

Issued 2014-03-01
Replaces K20812/07
Page 1 of 3

Close coupled suites

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Product Certification, Kiwa declares that legitimate confidence exists that the products supplied by

LECICO Egypt (S.A.E.)

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with

Kiwa evaluation guideline BRL-K621/06 "Close coupled suites",

which covers the requirements of

EN 997: 2003 "WC-pans and WC-suites with integral trap".



Bouke Meekma
Kiwa

Publication of the certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchillaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands

Tel. +31 70 414 44 00
Fax +31 70 414 44 20
info@kiwa.nl
www.kiwa.nl



130902

Supplier

LECICO Egypt (S.A.E.)
Khorshid - P.o. Box 358
ALEXANDRIA
Egypt
Tel. + 20 518 00 11
Fax + 20 518 00 29
lecico@lecico.com.eq
www.lecicoegypt.com

Certification process consists of initial and regular assessment of:

- quality system
- product

Close coupled suites

Technical specification

Unless otherwise mentioned the products specified are classified as Class 1 and designed for the use with a flush volume of 6 ± 0.2 litres. The products mentioned below belong to this certificate.

1. Model **Soraya / Gardenia (art. no. FS148211000000)**
wash-down WC-pan **Soraya (flat type 2)** with exposed horizontal outlet (UP); cistern type **Gardenia** fitted with inner mechanism of manufacturer Siamp:
 - flush mechanism type 36A (dual flush model);
 - float operated valve type 95L (G3/8" side connection).
2. Model **Soraya / Soraya (art. no. FS148212000000)**
wash-down WC-pan **Soraya (raised)** with exposed horizontal outlet (UP); cistern type **Soraya** fitted with inner mechanism of manufacturer Siamp:
 - flush mechanism type 36A (dual flush model);
 - float operated valve type 95L (G3/8" side connection).
3. Model **Soraya / Gardenia (art. no. FS140220000000)**
wash-down WC-pan **Soraya (flat type 3)** with concealed vertical outlet (USV); cistern type **Gardenia** fitted with inner mechanism of manufacturer Siamp:
 - flush mechanism type 36A (dual flush model);
 - float operated valve type 95L (G3/8" side connection).
4. Model **Soraya / Gardenia (art. no. FS148212000000)**
wash-down WC-pan **Soraya (raised)** with exposed horizontal outlet (UP); cistern type **Gardenia** fitted with inner mechanism of manufacturer Siamp:
 - flush mechanism type 36A (dual flush model);
 - float operated valve type 95L (G3/8" side connection).
5. Model **Atlas (art. no. FS110213000000)**
wash-down WC-pan with exposed horizontal outlet (UP); cistern (side and rear connection) fitted with inner mechanism of manufacturer Siamp:
 - flush mechanism type 36A (dual flush model);
 - float operated valve type 95L (G3/8" side connection).
6. Model **Laguna (art. no. FS131211000000)**
wash-down WC-pan with exposed horizontal outlet (UP); cistern fitted with inner mechanism of manufacturer Siamp:
 - flush mechanism type 36A (dual flush model);
 - float operated valve type 95L (G3/8" side connection).
7. Model **FUSION (art. no. FS14X213000000)**
wash-down WC-pan with exposed horizontal outlet (UP); cistern fitted with inner mechanism of manufacturer Siamp:
 - flush mechanism type 36A (dual flush model);
 - float operated valve type 95L (G3/8" side connection).
8. Model **Close coupled WCS.Trap (art. no. FS11U2C000000)**
wash-down WC-pan with concealed vertical outlet; matching ceramic cistern (type Eurocistern) fitted with following inner mechanisms:
 - SIAMP flush mechanism type 36A (dual flush model);
 - Geberit float operated valve type Impuls 360 (G3/8" side connection).
9. Model **Close coupled WCP.Trap (art. no. FS11U210000000)**
wash-down WC-pan with exposed horizontal outlet (UP); matching ceramic cistern (type Eurocistern) fitted with following inner mechanisms:
 - SIAMP flush mechanism type 36A (dual flush model);
 - Geberit float operated valve type Impuls 360 (G3/8" side connection).
10. Model **Laguna S Euro**
Wash down WC-pan no. FS1312Q1 with concealed vertical outlet; matching ceramic cistern Laguna Euro no. FS131313PB; fitted with the following inner mechanism:
 - Siamp 99B bottom inlet valve with brass shank
 - Siamp flush mechanism Optima 49 with dual flush operation

Close coupled suites

Application and use

Close coupled suites are designed as flushing devices to be connected to drinking water installations with a maximum water temperature of 30 °C.

Marking

The WC pan, cistern and float operated valve of the close coupled suites are marked with the word mark "KIWA". Example:

On the WC-pan this word mark shall be followed by the number 6, 7.5 or 9, indicating the flushing volume.

Close coupled suite marked as follows:

WC-pan: "KIWA-6"

Cistern: "KIWA"

Float valve: "KIWA"

Place of the mark:

- on the WC-pans between the attachment holes of the lavatory seat or on the sides;
- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level.

By this marking it is given that the close coupled suite is Kiwa certified and intended for use with a full flush of 6 ± 0.2 litres. This flushing volume is indicated by the highest waterline in the cistern.

Compulsory specifications:

name or mark of the manufacturer:

- on the WC-pans between the attachment holes of the lavatory seat or on the sides;
- on the float valves on the body;
- on the cisterns on the left side, right side or front or on the inside above water level.

additional marks as specified in EN 997: 2003 on a removable label.

Method of marking:

- indelible;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- LECICO Egypt (S.A.E.)
and, if necessary,
- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.